## **AMENDMENTS**

## **Listing of Claims**

The following listing of claims replaces all previous listings or versions thereof:

- 1. (Withdrawn) A method for treating a lupus patient characterized by the presence of anti-dsDNA comprising administering to the patient a therapeutic composition in pharmaceutically acceptable carrier for administration to a patient selected from the group consisting of peptides having sequence identity with ribosomal protein S1 which are immunoreactive with anti-dsDNA and anti-idiotypic antibody or antibody fragments immunoreactive with anti-dsDNA antibodies.
- 2. (Withdrawn) The method of claim 1 wherein the peptide is between four and forty amino acids in length.
- 3. (Withdrawn) The method of claim 1 wherein the peptide is conjugated to a carrier molecule or is a fusion protein.
  - 4. (Canceled)
- 5. (Withdrawn) The method of claim 1 wherein the composition is anti-idiotypic antibody immunoreactive with anti-dsDNA antibody.
- 6. (Withdrawn) The method of claim 5 wherein the anitbody is administered in a dosage effective to kill anti-dsDNA antibody producing cells.
- 7. (Withdrawn) The method of claim 5 wherein the antibody is administered in a dosage effective to decrease the amount of anti-dsDNA antibody levels in the patient.
- 8. (Currently amended) A therapeutic composition in a pharmaceutically acceptable carrier for administration to a human patient having anti-dsDNA antibodies comprising single

chain anti-idiotypic <u>Fv</u> antibody fragments immunoreactive with anti-dsDNA human antibodies isolated from SLE patients.

- 9. (previously presented) The compositions of claim 8 wherein the anti-idiotypic antibody fragments are derived from human antibody.
- 10. (previously presented) The composition of claim 8 wherein the anti-idiotypic antibody fragments are conjugated to a carrier molecule or is a fusion protein.
  - 11. (previously presented)
- 12. (previously presented) The composition of claim 8 wherein the composition comprises an anti-idiotypic antibody fragment derived from an anti-idiotypic antibody immunoreactive with anti-dsDNA antibody.
- 13. (previously presented) The composition of claim 12 wherein the anti-idiotypic antibody is administered in a dosage effective to kill anti-dsDNA antibody producing cells.
- 14. (previously presented) The composition of claim 12 wherein the anti-idiotypic antibody is administered in a dosage effective to decrease the amount of anti-dsDNA antibody levels in the patient.
- 15. (previously presented) The composition of claim 8 wherein the anti-idiotypic antibody is a single-chain Fv fragment.